

Claim:

1 Degradable gel whose saturated moisture content is 98 % by weight or below.

2 Degradable gel according to Claim 1 in which the degradable gel is a polysaccharide gel.

5 3 Degradable gel according to Claim 2 in which the polysaccharide gel is anionic polysaccharide gel.

4 Degradable gel according to Claim 3 in which the anionic polysaccharide gel is hyaluronic acid gel.

5 Degradable gel according to Claims 1 in which the degradable gel is gel obtained
10 by a crosslinking reaction using a crosslinking agent.

6 Degradable gel according to Claim 5 in which the crosslinking agent is an epoxy compound having two or more epoxy groups per molecule.

7 Degradable gel according to Claim 6 in which the epoxy compound is ethyleneglycol diglycidylether.

15 8 A method for producing degradable gel having a saturated moisture content of 98% by weight or lower characterized by comprising the following steps:

a first step of preparing a raw material solution of the degradable gel by dissolving the raw material compounds of the degradable gel in an aqueous solvent so as to be 20 to 80 % by weight in weight ratio; and

20 a second step of adding a crosslinking agent to the raw material solution of the degradable gel and crosslinks the raw material of the degradable gel.